

# *Quantum Light Series* - *New series of cameras that require no light even without infrared!*



**HAWK-QLBAZ1**



**HAWK-QLDAZ4**



**HAWK-QLHDAZ8**

- Features “Quantum Light” technology, which is the ability to see in little or no light with or without Infrared.
- Motorized Zoom 2.8-10mm Lens
- Auto focus, allows the camera to always remain in focus.
- 650 Lines of Resolution in Color, Sony Super-Had chip
- Weatherproof and Tamperproof
- 12V DC/ 24V AC auto sensing technology
- On Screen Display, allows the user to set the functions of the camera
- Features a wired remote control- which allows the user/installer to manage all functions including setting the zoom feature. In addition all functions can be controlled if it is hooked upto a DVR through the included RS-485 Connection.
- All Quantum Light Cameras are manufactured from extruded aluminum and are Weather and Tamperproof.

# PROFESSIONAL DIGITAL COLOR INFRARED DAY/NIGHT CAMERAS



## HAWK-102CB

- Color Bullet Camera
- 1/4" Sony High Sensitivity chip, 420 Lines, 3.6mm lens
- 25mm in diameter
- Minimum illumination 0.5 lux
- Weatherproof (IP-67)**
- 12V DC Power input
- Weighs only 11.4 oz



## HAWK-152VXIRCB

- Varifocal Color Bullet Camera
- 550 Line Sony Hi-Res chip
- **4-9mm Electronic Iris Lens**
- Weatherproof, Tamperproof,
- External Control-VF/Focus
- Dual Voltage 12VDC/24CV AC
- Infrared works up to 90'
- Cable thru the Bracket
- **HAWK-152VXIRCBW-white**



## HAWK-105CB

- Color bullet Camera
- 550 Line Sony SuperHad**
- Weatherproof
- 1/3" 3.6mm Lens
- Weatherproof, Tamperproof,
- 12V DC Power input
- Includes Power Supply



## HAWK-501IRCB

- Infrared Color Camera
- 520 Line Sony SuperHad chip
- **Infrared works up to 150'**
- Hi-Res. 1/3" 8mm lens
- Weatherproof, Tamperproof, Vandalproof, Crushproof
- **12VDC/24VAC Power input**
- Cable thru the Bracket



## HAWK-115VXCB

- Color varifocal Bullet Camera
- 1/3" 480 Line Sony SuperHad
- **External Control- VF-Focus**
- **Only 1" in Diameter**
- 4-9mm Varifocal Lens
- Sunshield, Weatherproof
- 12V DC Power input
- Weighs only 8 oz



## HAWK-522IRCB

- Infrared Color Camera
- 500 Line Sony SuperHad chip
- **Infrared works up to 250'**
- Hi- Res. 1/3" 12mm lens
- Weatherproof, Tamperproof, Vandalproof, Crushproof
- **12VDC/24VAC Power input**
- Cable thru the Bracket



## HAWK-147IRCB

- Infrared Color bullet Camera
- 500 Line Sony Hi-Res chip
- Infrared works up to 60'
- 3.6mm lens
- Weatherproof, Tamperproof,
- Vandalproof
- 12V DC Power input
- **Cable thru the Bracket**



## HAWK-542VXIRCB

- Infrared Varifocal Color
- 420 Line Sony SuperHad chip
- Infrared works up to 75'
- 1/3" 4-9mm DC Auto Iris
- Weatherproof, Tamperproof,
- **External Control-VF/Focus**
- **12VDC/24VAC Power input**
- Cable thru the Bracket



## HAWK-148IRCB

- Color Bullet Camera
- 550 Line Sony Hi-Res chip
- **3.6mm Electronic Iris Lens**
- Weatherproof, Tamperproof,
- Dual Voltage 12VDC/24CV AC
- Infrared works up to 90'
- Cable thru the Bracket



## HAWK-562VXIRCB

- **IR Varifocal Color camera**
- 550 Line Sony SuperHad chip
- Infrared works up to 90'
- 1/3" 2.8-11mm DC Auto Iris
- Weatherproof, Tamperproof,
- **External Control-VF/Focus**
- **12VDC/24VAC Power Input**
- Cable thru the Bracket

When using 12V DC application, a Regulated Power Supply is required.

Complete specifications are available on our website, [www.hawksecurity.com](http://www.hawksecurity.com)  
Other lens sizes are available, please call to get the complete listing

# PROFESSIONAL DIGITAL INDOOR/OUTDOOR COLOR DOME CAMERAS



## HAWK-302CD

- Color Dome Camera
- 1/3' Sony Superhad chip
- 420 Lines, 3.6mm lens
- **Min. illumination 0.2 lux**
- BLC, AGC
- 12 V DC Power input



## HAWK-335CD

- **Only 2 5/8" around**
- 500 Line Sony SuperHad chip
- Hi-Res.1/3", 3.6 mm lens
- Weatherproof, Tamperproof,
- Vandalproof
- 12V DC Power input

## HAWK-320CD

- Same as above but in 380



## HAWK-304VCD

- Color Dome Camera
- 1/3" Sony Superhad chip
- 520 Lines
- **3.0-16mm Varifocal lens**
- Autoiris, BLC, AGC
- Minimum illumination 0.1 lux
- 12V DC Power input



## HAWK-345CD

- 540Line Sony SuperHad chip
- **Manuf. of Cast Alum**
- Hi-Res.1/3", 3.6 mm lens
- Weatherproof, Tamperproof,
- Vandalproof
- 12V DC Power input

## HAWK-345CDW - White



## HAWK-306CD

- Color Dome Camera
- 1/3' Sony Superhad chip
- 520 Lines, 3.6mm lens
- **Min. illumination 0.1lux**
- BLC, AGC
- 12V DC Power input



## HAWK-347WCD

- 540 Line Sony superhad chip
- Cast Aluminum Housing
- On screen Display
- Wide Dynamic Range
- 12V DC

- HAWK-348CD** -same as above but no OSD & WDR but Includes a heater, for cold weather



## HAWK-308VOSCD

- Color Dome Camera
- 1/3' Sony Superhad chip
- 520 Lines,
- 2.8-11mm Autoiris lens
- Dual Voltage,12V DC/24V AC
- BLC,AGC
- On Screen Control



## HAWK-356IRCD

- 520Line Sony SuperHad chip
- Hi-Res.1/3", 3.6 mm lens
- **infrared works up to 30'**
- Ball mount, allows 360° view
- Weatherproof, Tamperproof
- Complete with 12V DC Power supply



## HAWK-331CD

- Only 2 5/8" around, flush mnt
- 480 Line Sony SuperHad chip
- Hi-Res.1/3", 3.6 mm lens
- **Weather & Tamperproof**
- Vandalproof
- 12V DC Power input

## HAWK-331CDW

- same as above, but white.



## HAWK-366VIRCD

- 520 Line Sony SuperHad chip
- Hi-Res.1/3", Varifocal 4-9mm manual iris lens
- Weatherproof, Tamperproof,
- infrared works up to 60'
- **External controls for VF and Focus**
- Complete with 12V DC Power supply

# SPECIALTY & ZOOM COLOR CAMERAS



## HAWK-701ZXIRCB

- 1/4" High Res. SONY530 Line
- True Day/Night, Set by OSD**
- Optical 10x Zoom (0.002Lux)
- 4.2~42mm Zoom w/10x Digital
- 70 IR LED's Built-in
- ICR Mechanical Filter,
- Dual voltage



## HAWK-440VIRCD

- Color Day/Night Camera.
- 2.9mm-10mm Varifocal Lens.
- Sony Superhad 520 Lines,
- 48 External IR Led's.**
- Manufactured of Cast Aluminum.
- Led's can be rotated upto 90°
- 12V DC.



## HAWK-451VOSCD

- 1/3" SONY SuperHad 540 Line
- Min Illumination 0.002Lux &
- OSD built-in, With 3 Axis Gimbal
- 2.8-12mm DC Auto Iris Varifocal
- Dual Power
- Weatherproof, Vandalproof(IP-67)



## HAWK-25B/30B

- 1/3" Board Cameras
- 420/550 Lines**
- Sony Superhad Chip
- 3.6mm Lens
- 12V DC



## HAWK-425IRCD

- Hi-Res. 1/3", 3.6 mm lens
- Weatherproof, Tamperproof,
- **Heavy duty Cast Aluminum**
- infrared works up to 75'
- 12VDC/24VAC Power input

**HAWK-415IRCD** 420 lines



## HAWK-131PIR

- 1/3" Sony 520 line Chip
- Infra Red sees 30' feet at night**
- PIR Camera
- 12 VDC
- 3.9mm Lens
- Mounting bracket Included



## HAWK-465WVOSCD -470VWVIROSCD

- 1/3" SONY SuperHad 540 Line
- Min Illumination 0.002Lux &
- OSD built-in, With 3 Axis Gimbal
- 2.8-12mm DC Auto Iris Varifocal
- Dual Power
- Weatherproof, Vandalproof(IP-67)
- Wide Dynamic Range
- 470 has IR that works up to 75'



## HAWK-180IRHL

- Fits easily inside a back box designed for a 4" Halogen Light.
- It comes complete with 12 LED's for night time viewing,
- Adjustable up to 80° vertical and 350° Horizontal.
- 500 Line Sony SuperHad chip



## HAWK-430VIRCD

- 500 Line Sony SuperHad chip
- Hi-Res. 1/3", Varifocal lens
- **4-9mm DC autoiris**
- Weather, Vandal & Tamper
- Heavy duty Cast Aluminum
- infrared works up to 75'
- 12VDC/24VAC Power input

**HAWK-420VIRCB** 420 lines



## HAWK-4IR

- **Long Range Infrared Illuminator**
- 12V DC / 24V AC Power
- 30° works up to 300'
- Weather and Tamperproof
- Mounting bracket included

# IP CAMERAS AND SERVERS, ACCESSORIES



## HAWK-IP201DS

- Plug'N'Play
- Enables any video output to be seen over the internet
- Builtin Software, works on Internet Explorer
- 10 users at a time
- MJPEG/MPEG4 Video Compression



## HAWK-IP220CD

- Plug 'n' Play installation**
- 520 High-resolution Sony Chip
- 3.6 mm lens Network surveillance.
- Remote camera settings via network
- Hi-impact armored Dome
- MJPEG / MPEG4 video compression

## POWER SUPPLIES

### HAWK-SP0.5

- 0.5 amp 12V DC, UL listed switching power supply

### HAWK-SP1.0

- 1 amp 12V DC, UL listed switching power supply

When using 12V DC application, a Regulated Power Supply is required.

## LENSES AVAILABLE

**HAWK-E2.1ST**- 2.1mm Color Board Camera Lens

**HAWK-E2.9ST**- 2.9mm Color Board Camera Lens

**HAWK-E3.6ST**- 3.6mm Color Board Camera Lens

**HAWK-E4.3ST**- 4.3mm Color Board Camera Lens

**HAWK-E6ST**- 6.0mm Color Board Camera Lens

**HAWK-E8ST**- 8.0mm Color Board Camera Lens

**HAWK-E12ST**- 12mm Color Board Camera Lens

Please Inquire if the lens is available on specific cameras



\*Design and Specifications are subject to change without notice.

\*\*Different Lenses are available for most cameras, please inquire.

**Distributed by;**

355 Oser Avenue  
Hauppauge, N.Y. 11788  
Toll Free 1-888-825-4810  
PH: 1-631-656-1056  
Fax: 1-631-656-1054  
www.hawkisecurity.com